



PTO/SB92 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U. S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Mail Stop: Amendment
Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on December 8, 2004
Date

William H. Dippert
Registration No. 26,723

Reed Smith LLP
599 Lexington Avenue
29th Floor
New York, New York 10022-7650
Tel: 212-521-5400; Fax: 212-521-5450

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Applicant: Nissim Darvish et al
Serial No.: 09/720,639
Filed: May 16, 2001
For: Pacing With Hemodynamic Enhancement
Enclosures: (1) Response (31 pages); (2) Petition For 2-Month Extension of Time;
(3) Petition Fee check \$430.00; (4) Acknowledgement Postcard

Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Attorney Docket No.: 501049.20529

Customer No.: 026418

3762
Jhr

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Application of

Nissim Darvish et al. : Group Art Unit: 3762

Serial No.: 09/720,639 : Examiner: Omar A. Khan

Filed: May 16, 2001 : Confirmation No.: 3851

For: **PACING WITH HEMODYNAMIC ENHANCEMENT**

December 8, 2004

Mail Stop: *Amendment*
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE

SIR:

In response to an Office Action dated September 28, 2004, please amend the above-referenced application as follows: